



WPC/PVC

Lasting Forever...

दीमक का डर न हो,
सीलन की फिक्क न हो,
JKD चौखट के साथ ही
ऐसा जीवन भर संभव
हो।



WPC Chaukhat



High Screw Holding



Ecofriendly




Termite Proof



100% Water Proof



High Density



ABOUT JKD

JKD as a brand now replaces your wood related problems with rejoice, your ultimate solution for better and comfortable lifestyle. The brand's vision is to bring cost effective alternatives and environment friendly replacement for wood.



WHY JKD?

Providing Satisfactory Solutions for...

6 YEARS



**SUPERIOR
QUALITY**

◀ JKD PVC/WPC board have fine cell structure and tight tolerances.



**DEDICATION TO
INNOVATION**

◀ JKD is dedicated to bringing new and innovative products to the PVC/WPC market.



**EXPERTISE IN
CUSTOMIZATION**

◀ JKD has capabilities to provide interior & exterior solutions designed specially for you.



**EXTENSIVE
MANUFACTURING
CAPABILITIES**

◀ JKD has cutting edge technology to manufacture a complete range of thicknesses & widths for all market needs.

DID YOU KNOW?

BURMA TEAK

IS NOT EASILY AVAILABLE.
LACKS QUALITY-PROOF.
GETS EASILY DAMAGED
BY WATER OR SUNLIGHT.

NEEM

GETS EASILY DAMAGED
BY WATER OR SUNLIGHT.

GAMAR

LACKS GREAT QUALITY.
IS NOT TERMITE-PROOF.

AKASH MONI

IS NOT SO STRONG AS
IT IS CLAIMED.
LACKS GREAT QUALITY.
IS NOT TERMITE-PROOF.

SHAL

IS VERY COSTLY
IS NOT TERMITE-PROOF.



WPC SOLID doors



DESCRIPTION

- WIDTH** JKD WPC DOORS are available in a standard width of 27", 30", 33" and 36". It can be customized from 24" to 36" (max) width on MOQ
- LENGTH** Standard length is 81". It can be customized to any thickness from 20mm to 35mm on MOQ
- THICKNESS** Standard Thickness is 30mm". It can be customized to any length on MOQ
- DENSITY** Standard is 0.56g/cm³

WORKABILITY



HAND SAW



PANEL SAW



NAILING/
SCREWING



HINGES
FIXING



CYLINDER
HANDLE
INSTALLATION



HAND
ROUTER



CNC

SURFACE TREATMENT



HAND POLIC




PU
GLOSS



PU
MATT



DUCO



LAMINATE

RANGE OF DOORS



JKD- 3001



JKD- 3002



JKD- 3003



JKD- 3004

WHY WPC DOORS AND DOOR FRAMES?


The most **creative & eco-friendly** product with **incomparable physical properties**



Rot & Decay Free



Water & Moisture Resistant




Fire Retardant/
Self Extinguishing



Termite Resistant



Maintenance Free



No Splitting or Cracking



Mold Resistant




Easy Installation

INSTALLATION GUIDELINES

FRAMES


1

CUT IN A 45° ANGLE




2

DRILL HOLES ON EACH SIDE AND INSERT SCREWS (2.5"/3" HALF THREAD) TO FIX THE CORNERS AT 90° ANGLE



3


FIX THE FRAME TO THE WALL WITH WALL PLUGS (2" PVC GITT) & SCREWS 4 HALF THREAD



DOORS


1

MARK AND GROUT FOR HINGES (4" X 1.25")




2


DRILL SCREWS (1.25" STAR/MINUS SCREWS) IN THE HINGES




3

SCREW THE HINGES TO THE FRAME







SIZE CHART

Experiment with **colors, laminates and wood-grain** textures to reflect your distinct personality

FRAME SIZE CHART	3" x 2"	4" x 2.5"
	5" x 2.5"	6" x 2.5" Double Rebate



LUXURY & ELEGANT 3D WALL PANELS




Range of 3D designs are



JK-2001



JK-2002



JK-2003



JK-2004



JK-2005



JK-2006



JK-2007



JK-2008



WPC/PVC BOARD, WPC DOOR FRAME,
WPC DOOR, 3D SHEETS.

Works - KH NO - 479/422, Opp. New Gaushala,
Chautala Road, Village Sewaha , Panipat.



sales@jkdplastics.com



+91-9728092936